February 2006



1142M

Liquid Adhesives

Product Description

Bostik 1142M is a fast drying general purpose contact adhesive that provides high immediate bond strength with good heat and water resistance.

It is designed to bond a wide variety of materials such as rubber to metal or wood, rigid plastics such as ABS or phenolics, fabrics, leather, or high pressure laminates. Not for use with flexible PVC.

Product Benefits

- Fast drying
- Immediate strength
- Heat/moisture resistant


Product Applications

- Rubber floor mats to metal, wood, concrete
- Rubber foam to itself or solid rubber

Directions for Use

Application:	Spray, brush, roll coat
RT Dry Time:	5-7 minutes
Recoat Time:	10 minutes or more depending on
	application
Contact Time:	3-5 minutes after last coat.

May be solvent activated if aged beyond tack time.



Typical Physical Properties (not for specification use)		
Appearance:	Amber liquid	
Total Solids, %:	23	
Viscosity, cps:	300	
Density, lbs/gal:	6.9	
Flash Point, °F:	-18	
Heat Resistance, °F:	up to 160	
Typical Bond Values, pli:		
Cotton/Cotton:	22-25	
Leather/Leather:	20-22	
Neoprene/Steel:	7-10	
Neoprene/Aluminum:	9-12	
Rubber Foam/Foam:	Stock failure	
Storage and Handling		
Shelf Life:	180 days	
Suggested Diluent:	Toluene	

Toluene, MEK

Further Information

Cleanup:

Please refer to MSDS for complete details.

IMPORTANT NOTICE

All statements, technical information and recommendations set forth herein are based on tests which Bostik believes to be reliable. However, Bostik does not guarantee their accuracy or completeness. The buyer should conduct its own tests of this product before use to determine proper preparation technique and suitability for proposed application. Any sales of this product shall be on terms and conditions set forth on Bostik's order acknowledgement. Bostik warrants that the product conforms with Bostik written specifications, and is free from defects. BOSTIK DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S SOLE REEMPOY FOR NONCOMPLIANCE WITH THIS WARRANTY SHALL BE FOR THE REPLACEMENT OF THE PRODUCT OR REFUND OF THE BUYER'S PURCHASE PRICE. IN NO CASE WILL BOSTIK BE LIABLE FOR DIRECT, CONSEQUENTIAL ECONOMIC OR OTHER DAMAGES.

Bostik, Inc., 211 Boston Road, Middleton, MA 01949 Tel. (888) 571-8558 Fax. (978) 750-7319 www.bostik-us.com